CONTENTS

PART I (Vol. 82)
Committees and Sponsors vi
Preface xv

Opening Lecture
Thermodynamics: a view from outside
G. Astarita (Naples, Italy) 1–14

APPLICATIONS

Physical property needs in industry
K.R. Cox (Houston, TX, USA) 15–26
Requirements of thermodynamic data in the chemical industry
S. Zeck and D. Wolf (Ludwigshafen/Rhein, Germany) 27–38
Computer aided molecular and mixture design with specified property constraints
R. Gani and Aa. Fredenslund (Lyngby, Denmark) 39–46
Computer aided molecular design: a novel method for optimal solvent selection
O. Odele and S. Macchietto (London, UK) 47–54
Modeling metallurgical processes using a chemical-engineering simulator
S. Watanasiri, S. Anavi (Cambridge, MA, USA) and M.W. Wadsley (Clayton, Vic., Australia) 55–62
The thermodynamic of long-lived organic pollutants
S.I. Sandler and H. Orbey (Newark, DE, USA) 63–69
Measurements at high dilution: ecological significance
S. Maaßen, A. Reichl and H. Knapp (Berlin, Germany) 71–78
Measurement and prediction of vapor–liquid equilibria for a reactive system: application to ethylene oxide + nonyl phenol
N.C. Patel and M. A. Young (South Charleston, WV, USA) 79–92
Phase equilibria at high pressures for the ethane–heptane and ethane–triethylaluminum systems
A.M. Beard, J.C. Mullins (Clemson, SC, USA) and G.A. Daniels (Baton Rouge, LA, USA) 93–100

PETROLEUM AND ENERGY

A systematic investigation into the most suitable data for the development of equations of state for petroleum reservoir fluids
R.C. Merril, Jr. (Sunbury-on-Thames, UK) and T.M.J. Newley (Anchorage, AK, USA) 101–110
A generalized approach to prediction of two and three phase CO_2–hydrocarbon equilibria
M.A. Trebble, P.H. Salim and P.M. Sigmund (Calgary, Alb., Canada) 111–118

Application of the Peng–Robinson equation of state to calculate interfacial tensions and profiles at vapour–liquid interfaces
P.M.W. Cornelisse, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 119–129
VLE in hydrocarbons of greatly differing volatilities
K. Chylinski (Warsaw, Poland), G. Saville and W.A. Wakeham (London, UK) 131–139
Measurements, correlation and prediction of Henry's constants of light alkanes in model heavy hydrocarbons and petroleum fractions
M. Zuliani, A. Barreau, J. Vidal (Rueil-Malmaison, France), P. Alessi and M. Fermeglia (Trieste, France) 141–142
A new apparatus for studies of near critical hydrocarbon fluids. Part I: PVT, density and viscosity
E.H. Stenby, R. Amin and J. Jepson (Lyngby, Denmark) 149–156
Detection of asphaltene precipitation and amounts precipitated by measurement of electrical conductivity
P. Fotland, H. Anfindsen and F.H. Fadnes (Bergen, Norway) 157–164
High pressure liquid–liquid equilibria in ternary systems containing water, benzene, toluene, *N*-hexane and *N*-hexadecane
G. Brunner, A. Steffen and R. Dohrn (Hamburg, Germany) 165–172
Experimental and modeling studies on the phase behaviour of high H_2S-content natural gas mixtures
M.-X. Gu, Q. Li, S.-Y. Zhou, W.-D. Chen and T.-M. Guo (Beijing, China) 173–182
The distribution of hydrogen sulfide between an aqueous amine solution and liquid propane
J.J. Carroll, F.-Y. Jou, A.E. Mather and F.D. Otto (Edmonton, Alb., Canada) 183–190
Henry's law constant for propane and butane in solutions of N-methylpyrrolidone with alkanolamines
G. Eliosa-Jimenez and A. Trejo (Mexico D.F., Mexico) 191–197
A combined Soave–Redlich–Kwong and NRTL equation for calculating the distribution of methanol between water and hydrocarbon phases
J.N. Kristensen, P.L. Christensen, K.S. Pedersen and P. Skovborg (Lyngby, Denmark) 199–206
Vapor–liquid equilibria of selected aromatic hydrocarbons in triethylene glycol
H.-J. Ng, C.-J. Chen and M. Razzaghi (Edmonton, Alb., Canada) . 207–214
High pressure adsorption of methane, nitrogen and carbon dioxide on coal substrates
A.E. DeGance, W.D. Morgan and D. Yee (Tulsa, OK, USA) 215–224

BIOTECHNOLOGY

Fluid properties and phase equilibria in aqueous phase bioseparations
P. Todd, D.T.L. Hawker, R.H. Davis and R.B. Owen (Boulder, CO, USA) 225–235
Theory for protein solubilities
D. Stigter and K.A. Dill (San Francisco, CA, USA) 237–249
Molecular simulation of self-assembly in surfactant and protein solutions
A.D. Mackie, E.M. O'Toole, D.A. Hammer and A.Z. Panagiotopoulos (Ithaca, NY, USA) 251–260

Thermodynamic model of liquid–solid equilibria for natural fats and oils
K.W. Won (Irvine, CA, USA) 261–273
Phase equilibrium studies on aqueous two-phase systems containing amino acids and peptides
C. Großmann, J. Zhu and G. Maurer (Kaiserslautern, Germany) . 275–282
Salt effect on partition coefficient of glycine, L-valine, and L-phenyl alanine in n-octanol–water system
C. Yokoyama, M. Terui and S. Takahashi (Sendai, Japan) 283–290

NEW MATERIAL

Studies on volume phase transition of N-substituted acrylamide hydrogels
H. Inomata and S. Saito (Sendai, Japan)..... 291–302
Producing a carbon fiber precursor by supercritical fluid extraction
G. Bolaños, G.-Z. Liu, T. Hochgeschurtz and M.C. Thies (Clemson, SC, USA) 303–310
Rapid expansion of supercritical solutions (RESS): fundamentals and applications
P.G. Debenedetti, J.W. Tom, X. Kwauk and S.-D. Yeo (Princeton, NJ, USA) 311–321
Solubility of PbO in supercritical water
C. Yokoyama, A. Iwabuchi, S. Takahashi (Sendai, Japan) and K. Takeuchi (Narashino, Japan)..... 323–331

THERMODYNAMIC MODELING

Molecular modeling in the search of improved equation of state
N.A. Smirnova and A.I. Victorov (St. Petersburg, Russian Federation)..... 333–344
20 years of Redlich–Kwong equation of state
G. Soave (Milan, Italy) 345–359
A comprehensive comparison of mixing rules for calculation of phase equilibria in complex systems
K. Knudsen, E.H. Stenby and Aa. Fredenslund (Lyngby, Denmark). 361–368
Modelling of the phase behaviour of mixtures in the critical region using the augmented Peng–Robinson equation of state
R. Solimando, M. Rogalski (Nancy, France), E. Neau and A. Peneloux (Marseille, France) 369–377
An equation of state for carboxylic acids
C.H. Twu, J.E. Coon and J.R. Cunningham (Fullerton, CA, USA).. 379–388
The molecular interaction group contributions for dielectric solvents
R.-S. Wu and L.L. Lee (Norman, OK, USA) 389–396
Measurement and prediction of solid–liquid phase equilibria of organic compound mixtures
H. Shibuya, Y. Suzuki, K. Yamaguchi (Yokohama, Japan), K. Arai and S. Saito (Sendai, Japan) 397–405

Author Index (Volumes 82 and 83) 407–408